REMOTE CONTROL 遙控服務

遙控服務 訂閱 / 相關說明/ 啟用和使用

本使用說明將依序解釋有關啟用您愛車的 Remote Control 遙控服務的各項步驟。在使用 Remote Control 之前,您必須先安裝 MyOPEL APP 並在註冊帳號後,輸入您的愛 車資訊。 若您的智慧型手機內還沒安裝 MyOPEL APP,請先透過 Apple App Store 或 Google Play Store 搜尋並下載與安裝。



開啟 MyOPEL APP,請先造訪 Services store (服務商店),選擇"探索"來開啟 Remote Control 遙控服務,點選 "START ACTIVATION" (開始啟動)接著繼續相關步驟來啟用新服務。



您將會被導回服務啟動頁面,您可以在此瀏覽 Remote Control 能帶給您的好處,接著往下滑並按下 "GET" 按鈕繼續啟動此服務。開通 Remote Control 之前請詳讀並接受服務條款, 在儲存您的偏好設定後,只需點選 "CONTINUE TO MYOPEL" 來透過 APP 開始啟用程序。

只需您幾分鐘操作 3 個步驟,最後就可以開始享受您的 Remote Control 遙控服務。首先請閱讀並接受服務條款,然後開始啟動。

e	MyOPEL account certification
	MyOPEL account
	certification process
Ta ye	be able to control your whicle remotely from our imartphane, you must complete this ten- minutes path in three steps.
ŝ	iou can stop it at any time and resume later.
	Define a trusted phone number
	Set a MyOPEL safety code
	Secured bluetooth connection
	(To do in the vehicle)
-	Loaree to the terms and conditions of ase
=	
	START

1. 輸入您的電話號碼,接著收到短訊後,輸入該驗證碼

× Tracted phone samilar	Trusted phone methoe Trusted phone methoe George	+ **	Truthed phone matthee: New and you is 4 digit code by SML Resear BT Rest town-her your 5 wheel phone market prost-code	K- Vete Hab	Trusted you a we seed you a we to contract set	ihone no 4 digitand pair hude	eriber Is by SMS. Pier diphone numb		×	Trusted phone monther
Define a trusted phone number	Plane-subject		and we the code	Re-10	nd are the cod	•				Your trusted phone number is defined!
This lengthcare number will clow as to stantify you an account way. If will be astrona from the confinements of any second operature.										
						сонтны	K.			
				1	1	2	3	5		
				3	4	5	б	25		
		_		1	7	8	9	•		
START	CONTINUE		CONTINU	ADD.	21891	0	100	0		CONTINUE

2. 設定屬於您個人的4位數字密碼

若開始此步驟·首先您會透過 SMS 簡訊收到一組臨時密碼·請先輸入臨時密碼·然後再輸入 用於註冊帳號的電話號碼·接著輸入想要的密碼·此密碼可讓您安全的遙控 車輛。

	WYOPEL C	account a	certific	ation	ni)	\times	mycer		lote.		MyOPEL safety code
CC Ta be oil your in You co	MyOP ertifice ble to contri- rortphore, minutes ; an stop it of Define a tri Set a My Secured b (To de	PEL action particle and the particle action particle action particle action particle action a	COUIN proc: sicle rem es steps. and resum the number thy code onnec flai hade)	nt ess otely f r thiss me lati	itom en-	Se n en ngư	ta My iscode, sp ablesus to arfy reques who a	COPEL Se content of the operation of the	afety co wyCPIL accou cou. Note it wi that it is indee splication.	nt. Ibe sdycu	We have send you a 9-digit code by SMS. You need to fill it to the set your interv code. Received double Re-send me the code
		START						START			сонтичие
A	WyOPEL s	iafety co Adigit code	ide e by SMS	. Your	need	<u>ج</u>	MyOPI	EL safety co	ode		X MyOPEL safety code
e hove s	WyOPEL 3 rend you a 9 thes set yo	afety co Adigit code analety co	ide e by SMS ode.	i. Yaur	need		MyOP1 55 ad eer the s	EL safety co	ode	×	× MyOPEL safety code
- / have s hill it to 123455 e-send e	WyOPEL s rend you a S then set yo 	aligt colu Paligt colu ur safety co	de e by SWS ode.	i. Yau r	need	E 1234 Ba-ur Detro	MyOPI 55 sd are the s so 4 digits sm pour sec	EL safety co codie ofery code to artphone.	ode Interact with y	001	× MyOPEL safety code
- A le have 's Milit to 123455 e-send e etne o 4 or from y lier the s	Wy OPEL 3 then set yo me the code 	nafety co Poligit codi ur safety co s ty codit to i thone.	ide e by SMS ode: meract v	i. Your	need v	E Contra	MyOPI strengt ad eer file o e a 4 digit s on your sea strengt sea s s s s s s s s s s s s s	EL safety co odir ofety code to artiphone.	ode interact with (ол У У	× MyOPEL safety code
- A le have s fill a fo us value us send a s from y lef the s Confirm	WyOPEL s end you a 9 thes set yo end the code edigit soler our secortp artery code	a dety co e digit code ur safety co e ty code to i frome.	e by SMS e by SMS ede.	i. Ybur	v v	En	MyOPI states ad eer the st so 4 digits my pour sex so 55	EL, safety co code afety code to artphone.	ander Interact with y	000 	X MyOPEL safety code
- A feltave s fill at to 123455 settine is 4 settine is 4	MyOPEL s end you o 9 thes set yo end the code the code th	e ty code to a thone.	e by SWS e by SWS enternact w	i. Your	need	C International	MyOPI stores ad one the s on 4-digit to my place here \$5 \$5	EL sofety co ode ofety code to ortphone.	ode Interact with (X MyOPEL safety code
 I have s I fill at to I have s I hav	Wy OPEL s end you a 9 then set you me the code t digit soler cour smartp artery code	Adigit code an adiety co an adiety co adiety co a	e by SMS ode.	i. Waar	need V Na	C	MyOPI strange strange the s so 4-digits im your sea strange to a	EL sofety co codir ortery code to ortphone.	anteract with y		X MyOPEL safety code
 A feature s o fill at to o fill at to o send at section at a send at form y Section at Section at 	MyOPEL s end you o 9 then set yo end the code t-digit solet our second atery code 1 1 1	Paligit codi ur safety co s ty code to it frome: CONTINUE 2 5	e by SMS ode.	i. Your with yo 3 6	need	C Revenue of the second	MyOPI stores ad one the store my poor sheet storestores stores storestores stores storestores stores stores stores	EL sofety co ode ofety code to ortphone.	interact with y	907 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	X MyOPEL safety code
 A technologie of All at the second at the sec	WyOPELs end you a 9 the set yo 	continue continue 2 2 3 2 5 8	e by SMS ode	i. Where with pr 3 6 9	need	← 8++++ 1230 B=+m Define 1234 0-00 1234 + + + + +	MyOPI stores ad end the c so 4 digits int pour less sss sss 1 4 7	EL sofety co codie ofety code to artphone. 2 5 8	interact with (X MyOPEL safety code

 透過藍牙連線功能·將智慧型電話與車輛連接。前往您的愛車·啟動引擎·開啟電話端的 藍牙功能·然後點選配對來開啟程序。



現在 Remote Control 遙控服務已啟用:可能會要求您更新車輛設備軟體,以讓您能充分享受 所有功能並遠程管理愛車。

如何使用您的 REMOTE CONTROL

當您為愛車啟用 Remote Control 遙控服務後,您可以觀察車輛鎖定狀態,上鎖或解鎖車輛、 點亮車外照明或按鳴喇叭。若要遙控控制您的愛車,只需點開 MyOPEL APP,然後選擇任何 一個想用的功能,並稍後幾秒待命令被執行。請記住,每七日會需要由您輸入密碼,來確保 系統的可用性。

